

2	T 0.01	0.01	Windfang	PRF	A	D	LR	2	-	-	-	D	RC2	-	39 (SK3)	1,80	-	4 (E)	-	-	-	PRF	-	BR	AL	-	P RAL 7006	160	X	AL/GL	96,5 x 210,5	VSG H+a	P RAL 7006	F	-	-	GS	D	-	105	Ö	X	PZ	RF	-	X	AT, SR	X	-
3	T 0.02-1	0.02	Forum	IT	I	D	LR	2	2	1	-	D	-	-	-	-	II	4 (E)	4,95	3,50	-	SiB	-	BR	HO	-	HO	-	-	VO/GL	95,5 x 214,0	VSG H+a	HPL	F	-	-	GS	D	-	105	Ö	-	BZ	F	-	-	AT, SR	X	-
4	T 0.02-2	0.02	Forum	MB	A	D	L	1	-	1	-	-	RC2	-	39 (SK3)	1,80	-	4 (E)	1,135	3,00	-	SiB	30	BR	ST	VL, VR, VO	P RAL 7006	160	-	ST/GL	72,5 x 175,0	VSG H+a	P RAL 7006	F	-	-	D	K	-	105	B	-	PZ	F	-	X	-	-	-
5	T 0.02-3	0.02	Forum	MB	A	D	RL	2	-	1	-	D	RC2	X	39 (SK3)	1,80	-	4 (E)	2,01	2,95	≥ 0,90	SiB	30	BR	ST	VL, VR, VO	P RAL 7006	160	X	ST/GL	73,0 x 190,0	VSG H+a	P RAL 7006	F	-	-	D	D	X	105	B+Ö	X	PZ	F	BGS	X	AT, SR	X	-
6	T 0.03-1	0.03	Hausmeister	IT	I	D	L	1	1	1	FH, RS	-	-	X	-	-	II	4 (E)	1,875	m	≥ 0,90	SiB	30	BZ	HO	-	HO	-	-	VO	-	-	HPL	F	-	-	D	D	X	105	W	-	PZ	RF	BS	-	BTS	X	-
7	T 0.03-2	0.03	Hausmeister	IT	I	D	R	1	-	-	FH, RS	-	-	X	-	-	II	4 (E)	1,135	2,26	≥ 0,90	SiB	25	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	X	105	W	-	PZ	RF	BS	-	BTS	-	X
8	T 0.04	0.04	Sanitätsraum	IT	I	D	L	1		-	-	-	-	-	-	-	II	4 (E)	1,01	2,26	-	GK	15	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	-	-	PZ	RF	-	-	-	-	-
9	T 0.05	0.05	Lehrmittelraum	IT	I	D	L	1	-	-	-	-	-	-	-	-	II	4 (E)	1,01	2,26	-	GK	15	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	B	-	PZ	RF	-	-	-	-	-
10	T 0.06	0.06	TRH 1	IT	I	D	RL	2	-	1	FH, RS	FSA	-	X	-	-	II	4 (E)	1,80	2,50	≥ 1,20	SiB	30	BR	AL	-	P RAL 7006	-	-	AL/GL	div.	VSG H+a	P RAL 7006	F	-	-	D	D	X	105	Ö	X	PZ	RF	BGS	-	BTS, FSA, SR	-	X
11	T 0.07	0.07	Flur Sanitär	IT	I	D	R	1	-	1	FH, RS	FSA	-	-	-	-	II	4 (E)	1,26	2,50	-	SiB	30	BZ	HO	-	HO	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	BTS, FSA	X	-
12	T 0.08-1	0.08	WC M	IT	I	D	R	1	-	-	-	-	-	-	-	-	II	4 (E)	1,01	2,26	-	GK	15	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
13	T 0.08-2	0.08	WC M	IT	I	D	R	1	-	-	-	-	-	-	-	-	II	4 (E)	1,01	2,26	-	GK	15	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
14	T 0.09-1	0.09	WC J	IT	I	D	L	1	-	-	-	-	-	-	-	-	II	4 (E)	1,01	2,26	-	GK	15	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
15	T 0.09-2	0.09	WC J	IT	I	D	L	1	-	-	-	-	-	-	-	-	II	4 (E)	1,01	2,26	-	GK	15	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
16	T 0.10	0.10	WC b	IT	I	D	L	1	-	-	-	-	-	-	-	-	II	4 (E)	1,26	2,26	≥ 0,90	MW	17,5	UZ	ST	-	L RAL 7006	-	-	VO	-	-	HPL	F	-	-	D	D	-	85	B	-	ÖS	RF	-	-	-	X	-
17	T 0.11	0.11	PuMi	IT	I	D	R	1	-	1	FH, RS	-	-	-	-	-	II	4 (E)	1,01	2,50	-	SiB	30	UZ	HO	-	HO	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	-	-	PZ	RF	-	-	-	-	-
18	T 0.12	0.12	TRH 3 / Bestand	IT	I	D	R	1	-	-	FH, RS	D	-	X	-	-	II	4 (E)	1,26	2,26	≥ 0,90	MW	73	EZ	ST	-	L RAL 7006	-	-	VO	85 x 180	VSG H+a	HPL	F	-	-	D	D	X	105	Ö	-	BZ	RF	BGS	-	AT-T	X	-
19	T 0.13-3	0.13	Aula / Mensa	PRF	A	D	LR	2	0	0	-	D	RC2	X	39 (SK3)	1,80	-	4 (E)	-	-	≥ 0,90	PRF	-	BR	AL	-	P RAL 7006	160	X	AL/GL	77 x 219	VSG H+a	P RAL 7006	F	-	-	D	D	X	105	2x Ö	X	PZ	RF	BGS	X	AT, SR	X	-
20	T 0.14	0.14	Stuhllager	IT	I	D	LR	2	0	0	FH, RS	-	-	-	-	-	II	4 (E)	1,51	2,26	-	SiB	30	BR	HO	-	HO	-	-	VO	-	-	HPL	F	-	-	D	D	-	105	-	-	PZ	RF	-	-	-	-	-
21	T 0.15	0.15	Ausgabe Essen	IT	I	D	R	1	0	0	-	-	-	-	-	-	II	4 (E)	0,885	2,135	-	SiB	30	BR	HO	-	HO	-	-	VO	d=40	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
22	T 0.16-1	0.16	Spülen	IT	I	D	L	1	0	0	-	-	-	-	-	-	II	4 (E)	1,01	2,135	-	SiB	25	UZ	ST	-	L RAL 7006	-	-	VO	d=40	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
23	T 0.17-1	0.17	Flur Küche	IT	I	D	R	1	0	0	FH, RS	-	-	-	-	-	II	4 (E)	1,01	2,135	-	SiB	25	UZ	ST	-	L RAL 7006	-	-	VO	d=40	-	HPL	F	-	-	D	D	-	105	W	-	PZ	RF	-	-	-	-	-
24	T 0.17-2	0.17	Flur Küche	MB	A	D	L	1	0	0	-	-	RC2	X	39 (SK3)	1,80	-	4 (E)	1,17	2,25	≥ 0,90	SiB	25	BR	ST	VL, VR, VO	P RAL 7006	160	X	ST/GL	d=40	-	P RAL 7006	F	-	-	K	D	X	105	W	-	PZ	RF	BS	X	-	-	-

1. Obergeschoss

2. Obergeschoss

3. Obergeschoss / Dachterrasse																																																	
94	T 3.01	3.01	TRH 1	MB	A	D	R	1	0	0	-	-	-	X	39 (SK3)	1,80	-	4 (E)	1,40	2,46	≥ 1,20	STB	25	BR	ST	VL, VR, VO	P RAL 7006	160	-	ST/GL	99 x 165	VSG H+a	P RAL 7006	F	-	-	D	D	X	105	W	X	PZ	RF	BGS	X	BTS	X	-
95	T 3.02	3.02	TRH 2	MB	A	D	L	1	0	0	-	-	-	X	39 (SK3)	1,80	-	4 (E)	1,40	2,46	≥ 1,20	SiB	25	BR	ST	VL, VR, VO	P RAL 7006	160	-	ST/GL	99 x 165	VSG H+a	P RAL 7006	F	-	-	D	D	X	105	W	X	PZ	RF	BGS	X	BTS	X	-
96	T 3.03	3.03	TRH 3	MB	A	D	L	1	0	0	-	D	-	X	39 (SK3)	1,80	-	4 (E)	1,26	2,30	≥ 1,20	SiB	25	BR	ST	VL, VR, VO	P RAL 7006	160	-	ST/GL	85 x 165	VSG H+a	P RAL 7006	F	-	-	D	D	X	105	Ö	X	PZ	RF	BS	X	AT	X	-